



International Equipments

Material Testing Equipment as per
BS • DIN • ISO • IS • ASTM



decades of **Excellence**
BUILT THROUGH PRECISION

Analogue VSP / HDT apparatus

As per ASTM D - 1525 and ASTM D - 648 as well as ISO 306 & ISO 75 to determine vicat softening temperature and heat deflection temperature of polymers, compounds & engineering plastics.



Specification :

- **Temperature range** : From ambient to 300°C.
- **No of stations** : Two.
- **Material of construction** : Inner bath: S.S
- **Outer body** : M.S
- **Rate of heating** : 120° C / hour and 50° C / hour.
- **Dial gauge** : Range upto 10mm with resolution of 0.01mm.
- **Paint** : Powder coated.
- **Power** : 230 Volts, 50Hz, single phase.
- **Weights** : A set of weights ranging from 5 grams to 2000 grams would be supplied for incremental loads.

Since
1971

Export to more
than
50
Countries

More
than
10000
Installation

Our Esteemed Clients

 <p>Reliance Industries Limited Growth is Life</p>	 <p>Volkswagen</p>	 <p>BOEING®</p>	 <p>SAMSUNG</p>	 <p>LARSEN & TOUBRO</p>
 <p>FIAT</p>	 <p>TVS TVS MOTOR COMPANY</p>	 <p>हिन्दुस्तान पेट्रोलियम HP</p>	 <p>JOHN DEERE</p>	 <p>Mahindra</p>
 <p>HUNTSMAN Enriching lives through innovation</p>	 <p>Pidilite</p>	 <p>Godrej</p>	 <p>TOYOTA</p>	 <p>KABRA ExtrusionTechnik</p>
 <p>RAJOO® excellence in extrusion</p>	 <p>P&G</p>	 <p>Whirlpool</p>	 <p>PRAYAG MASTERBATCHES</p>	 <p>Huhtamaki</p>



Registered Address :

International Equipments

35, Crescent Industrial Estate, Kanjurmarg (E),
Mumbai - 400 042. India.

T: +91-22-25789133/ 34 • 25786635 • 25799134

E: urja_doshi@vsnl.com

W: www.internationalequipments.com