



International Equipments

Material Testing Equipment as per
BS • DIN • ISO • IS • ASTM



decades of **Excellence**
BUILT THROUGH PRECISION

Humidity Chamber

To determine the effect of relative humidity on sample at various temperatures.
Computerised Humidity chamber to determine the effect of relative humidity on sample at various temperatures.



Specification:

- **Size of the working chamber** : 18 inch X 18 inch x 24 inch*
- **Material of construction** : Inner bath : S.S / Outer body : M.S
- **Humidity range** : 20% RH to 95% RH.
- **Temperature range** : 10°C to 85°C
- **Compressor** : CFC free.
- **Direct display and printout through microcontroller** : Set RH, Actual RH, Set temperature and Actual temperature.
- **Graphic display and printout through PC** : In addition to the above values, % RH and Temperature Vs Time graph could be obtained by attaching a printer to the PC.
- **Paint** : Powder coated.
- **Power** : 230 Volts, 50 Hz, Single phase.

Since
1971

Export to more than
50
Countries

More than
10000
Installation

Our Esteemed Clients

 Reliance Industries Limited Growth is Life	 Volkswagen	 BOEING®	 SAMSUNG	 LARSEN & TOUBRO
 FIAT	 TVS TVS MOTOR COMPANY	 हिन्दुस्तान पेट्रोलियम HP	 JOHN DEERE	 Mahindra
 HUNTSMAN Enriching lives through innovation	 Pidilite	 Godrej	 TOYOTA	 KABRA ExtrusionTechnik
 RAJOO® excellence in extrusion	 P&G	 Whirlpool	 PRAYAG MASTERBATCHES	 Huhtamaki



Registered Address :

International Equipments

35, Crescent Industrial Estate, Kanjurmarg (E),
Mumbai - 400 042. India.

T: +91-22-25789133/ 34 • 25786635 • 25799134

E: urja_doshi@vsnl.com

W: www.internationalequipments.com